

Compliance Designs

CLIENT: Naya Waters, Inc.
2500 Rue de La Naya
Mirabel, CN J7N3A7

DATE OF REPORT: Quarter 1, 2026
REPORT #: 951-254
LABORATORY ID#: 380-199318-1

NOTE: “*” indicates that maximum levels have been exceeded, or in the case of pH, is either too high or too low
“ND” indicates that none of these analytes have been detected at or above the specified detection level
“MCL” indicates maximum contaminant level as established by US FDA for bottled water
“RL” indicates laboratory reporting limit for method
Units results are reported in mg/L unless otherwise noted

ANALYSIS PERFORMED	MCL ¹ (mg/L)	RL (mg/L)	NAYA SPRING FINISHED PRODUCT (Produced from Naya Spring Source, 500 mL, L2) 951-254 (mg/L)
Primary Inorganics			
Antimony	0.006	0.001	ND
Arsenic	0.01	0.002	0.0027
Asbestos	7 MFL	0.180	ND
Barium	2	0.002	0.017
Beryllium	0.004	0.0003	ND
Cadmium	0.005	0.0005	ND
Chromium	0.1	0.0009	ND
Cyanide	0.2	0.010	ND
Fluoride	See endnote ²	0.05	0.14
Lead	0.005	0.0005	ND
Mercury	0.002	0.0002	ND
Nickel	0.1	0.005	ND
Nitrate – N	10	0.05	ND
Nitrite – N	1.0	0.05	ND
Total Nitrate & Nitrite – N	10	0.05	ND
Selenium	0.05	0.002	ND
Thallium	0.002	0.0003	ND
Secondary Inorganics			
Alkalinity	--	4	200
Aluminum	0.05 to 0.2 ⁶	0.02	ND
Bicarbonate	--	4	200
Boron	--	0.05	ND
Bromide	--	0.005	0.0091
Calcium	--	0.1	43
Carbonate	--	4	ND
Chloride	250 ³	0.5	3.8
Copper	1	0.001	ND
Corrosivity	--	-14	0.54
Foaming Agents	--	0.1	ND
Hardness, Calcium	--	2.5	110
Hardness, Total	--	2.9	200
Iron	0.3 ³	0.01	ND
Magnesium	--	0.1	22
Manganese	0.05 ³	0.002	0.0051
pH	See endnote ⁴	0.01	8.0
Phenol	0.001	0.001	ND
Potassium	--	0.2	2.1
Silver	0.1	0.0005	ND
Sodium	--	0.1	6.9
Specific Conductance	-- umho/cm	2.0	440
Sulfate	250	0.25	20
TDS	500 ^{3,5}	20	260
Zinc	5 ³	0.005	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	NAYA SPRING FINISHED PRODUCT (Produced from Naya Spring Source, 500 mL, L2) 951-254 (mg/L)
Physical			
Color	15 ³ CU	2	ND
Odor	3 ³ TON	1	ND
Turbidity	5 NTU	0.1	0.15
Microbiological			
Total Coliform	Absence	1	ND
E. Coli	Absence	1	ND
Heterotrophic Plate Count	-- cfu/mL	1	>5700
Radiologicals			
Gross Alpha	15 pCi/L	3	ND
Gross Beta	50 pCi/L ⁵	4	ND
Radium 226/228	5 pCi/L	1 / 1	ND / ND
Uranium	0.030	0.001	ND
Volatile Organic Compounds EPA 524.2:			
Total Trihalomethanes	0.080	0.0005	ND
tert-Amyl Methyl Ether (TAME)	--	0.003	ND
tert-Butyl-Ethyl Ether (TBEE)	--	0.003	ND
Benzene	0.005	0.0005	ND
Bromobenzene	--	0.0005	ND
Bromochloromethane	--	0.0005	ND
Bromodichloromethane	--	0.0005	ND
Bromoform	--	0.0005	ND
Bromoethane	--	0.0005	ND
Bromomethane	--	0.0005	ND
n-Butylbenzene	--	0.0005	ND
sec-Butylbenzene	--	0.0005	ND
tert-Butylbenzene	--	0.0005	ND
Carbon Disulfide	--	0.0005	ND
Carbon Tetrachloride	0.005	0.0005	ND
Chlorobenzene	0.1	0.0005	ND
Chloroethane	--	0.0005	ND
Chloroform	--	0.0005	ND
Chloromethane	--	0.0005	ND
2-Chlorotoluene	--	0.0005	ND
4-Chlorotoluene	--	0.0005	ND
Chlorodibromomethane	--	0.0005	ND
Dibromomethane	--	0.0005	ND
1,2-Dichlorobenzene	0.6	0.0005	ND
1,3-Dichlorobenzene	--	0.0005	ND
1,4-Dichlorobenzene	0.075	0.0005	ND
Dichlorodifluoromethane	--	0.0005	ND
1,1-Dichloroethane	--	0.0005	ND
1,2-Dichloroethane	0.005	0.0005	ND
1,2-Dichloroethene, Total	--	0.0005	ND
1,1-Dichloroethylene	0.007	0.0005	ND
cis-1,2-Dichloroethylene	0.07	0.0005	ND
trans-1,2-Dichloroethylene	0.1	0.0005	ND
1,2-Dichloropropane	0.005	0.0005	ND
1,3-Dichloropropane	--	0.0005	ND
2,2-Dichloropropane	--	0.0005	ND
1,1-Dichloropropene	--	0.0005	ND
cis-1,3-Dichloropropene	--	0.0005	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	NAYA SPRING FINISHED PRODUCT (Produced from Naya Spring Source, 500 mL, L2) 951-254 (mg/L)
EPA 524.2 continued:			
trans-1,3-Dichloropropene	--	0.0005	ND
Di-Isopropyl Ether	--	0.003	ND
Ethylbenzene	0.7	0.0005	ND
Hexachlorobutadiene	--	0.0005	ND
Isopropylbenzene	--	0.0005	ND
4-Isopropyltoluene	--	0.0005	ND
Methyl tert-Butyl Ether (MTBE)	--	0.0005	ND
Methyl Ethyl Ketone (MEK)	--	0.005	ND
Methylene Chloride	0.005	0.0005	ND
Naphthalene	--	0.0005	ND
n-Propylbenzene	--	0.0005	ND
Styrene	0.1	0.0005	ND
1,1,1,2-Tetrachloroethane	--	0.0005	ND
1,1,2,2-Tetrachloroethane	--	0.0005	ND
Tetrachloroethylene	0.005	0.0005	ND
Toluene	1	0.0005	ND
1,2,3-Trichlorobenzene	--	0.0005	ND
1,2,4-Trichlorobenzene	0.07	0.0005	ND
1,1,1-Trichloroethane	0.2	0.0005	ND
1,1,2-Trichloroethane	0.005	0.0005	ND
Trichloroethylene	0.005	0.0005	ND
Trichlorofluoromethane	--	0.0005	ND
Trichlorotrifluoroethane	--	0.0005	ND
1,2,3-Trichloropropane	--	0.0005	ND
1,2,4-Trimethylbenzene	--	0.0005	ND
1,3,5-Trimethylbenzene	--	0.0005	ND
Vinyl Chloride	0.002	0.0003	ND
m+p-Xylenes	--	0.0005	ND
ortho-Xylene	--	0.0005	ND
Total Xylene	10	0.0005	ND
Add'l Organics			
EPA 504.1:			
Ethylene Dibromide	0.00005	0.00001	ND
Dibromochloropropane	0.0002	0.00001	ND
1,2,3-Trichloropropane	--	0.00002	ND
EPA 505:			
Chlordane (alpha and gamma)	0.002	0.0001	ND
Total PCBs	0.0005	0.0001	ND
PCB 1016	--	0.00007	ND
PCB 1221	--	0.0001	ND
PCB 1232	--	0.0001	ND
PCB 1242	--	0.0001	ND
PCB 1248	--	0.0001	ND
PCB 1254	--	0.0001	ND
PCB 1260	--	0.00007	ND
Toxaphene	0.003	0.0005	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	NAYA SPRING FINISHED PRODUCT (Produced from Naya Spring Source, 500 mL, L2) 951-254 (mg/L)
EPA 515.4:			
Acifluorfen	--	0.0002	ND
Bentazon	--	0.0005	ND
2,4-D	0.07	0.0001	ND
2,4-DB	--	0.002	ND
Dalapon	0.2	0.001	ND
Dicamba	--	0.0001	ND
3,5-Dichlorobenzoic Acid	--	0.0005	ND
Dichlorprop	--	0.0005	ND
Dinoseb	0.007	0.0002	ND
Pentachlorophenol	0.001	0.00004	ND
Picloram	0.5	0.0001	ND
2,4,5-T	--	0.0002	ND
2,4,5-TP (Silvex)	0.05	0.0001	ND
EPA 525.2:			
Acenaphthene	--	0.0001	ND
Acenaphthylene	--	0.0001	ND
Acetochlor	--	0.0001	ND
Alachlor	0.002	0.00005	ND
Aldrin	--	0.00001	ND
Alpha-BHC	--	0.0001	ND
Anthracene	--	0.00002	ND
Atrazine	0.003	0.00005	ND
Benz(a)Anthracene	--	0.00005	ND
Benzo(a)Pyrene	0.0002	0.00002	ND
Benzo(b)Fluoranthene	--	0.00002	ND
Benzo(g,h,i)Perylene	--	0.00005	ND
Benzo(k)Fluoranthene	--	0.00002	ND
Beta-BHC	--	0.0001	ND
Bromacil	--	0.0001	ND
Butylbenzylphthalate	--	0.0005	ND
Butachlor	--	0.00005	ND
Chlordane (alpha)	0.002	0.00005	ND
Chlordane (gamma)	0.002	0.00005	ND
Chlorobenzilate	--	0.0001	ND
Chloroneb	--	0.0001	ND
Chlorothalonil	--	0.0001	ND
Chlorpyrifos	--	0.00005	ND
Chrysene	--	0.00002	ND
Delta-BHC	--	0.0001	ND
2,4-DDD	--	0.0001	ND
2,4-DDE	--	0.0001	ND
2,4-DDT	--	0.0001	ND
4,4-DDD	--	0.0001	ND
4,4-DDE	--	0.0001	ND
4,4-DDT	--	0.0001	ND
Dichlorvos (DDVP)	--	0.00005	ND
Di(2-ethylhexyl)Adipate	0.4	0.0006	ND
Dibenz(a,h)Anthracene	--	0.00005	ND
Di(2-ethylhexyl)Phthalate	0.006	0.0006	ND
Dieldrin	--	0.00001	ND
Diethylphthalate	--	0.0005	ND
Dimethylphthalate	--	0.0005	ND
Dimethoate	--	0.0001	ND
Di-n-Butylphthalate	--	0.001	ND
Di-n-Octylphthalate	--	0.0001	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	NAYA SPRING FINISHED PRODUCT (Produced from Naya Spring Source, 500 mL, L2) 951-254 (mg/L)
EPA 525.2 continued:			
2,4-Dinitrotoluene	--	0.0001	ND
2,6-Dinitrotoluene	--	0.0001	ND
Endosulfan I (Alpha)	--	0.0001	ND
Endosulfan II (Beta)	--	0.0001	ND
Endosulfan Sulfate	--	0.0001	ND
Endrin	0.002	0.00001	ND
Endrin Aldehyde	--	0.0001	ND
EPTC	--	0.0001	ND
Fluoranthene	--	0.0001	ND
Fluorene	--	0.00005	ND
Heptachlor	0.0004	0.00001	ND
Heptachlor Epoxide	0.0002	0.00001	ND
Hexachlorobenzene	0.001	0.00005	ND
Hexachlorocyclopentadiene	0.05	0.00005	ND
Indeno(1,2,3-cd)Pyrene	--	0.00005	ND
Isophorone	--	0.0005	ND
Lindane	0.0002	0.00001	ND
Malathion	--	0.0001	ND
Methoxychlor	0.04	0.00005	ND
Metolachlor	--	0.00005	ND
Metribuzin	--	0.00005	ND
Molinate	--	0.0001	ND
Naphthalene	--	0.0001	ND
trans-Nonachlor	--	0.00005	ND
Parathion	--	0.0001	ND
Pendimethalin	--	0.0001	ND
Phenanthrene	--	0.00004	ND
Propachlor	--	0.00005	ND
Pyrene	--	0.00005	ND
Simazine	0.004	0.00005	ND
Terbacil	--	0.0001	ND
Terbutylazine	--	0.0001	ND
Thiobencarb	--	0.0001	ND
Trifluralin	--	0.0001	ND
EPA 531.2:			
Aldicarb (TEMIK)	--	0.0005	ND
Aldicarb sulfone	--	0.0005	ND
Aldicarb sulfoxide	--	0.0005	ND
Baygon (PROPOXUR)	--	0.0005	ND
Carbaryl	--	0.0005	ND
Carbofuran (FURADAN)	0.04	0.0005	ND
3-Hydroxycarbofuran	--	0.0005	ND
Methiocarb	--	0.0005	ND
Methomyl	--	0.0005	ND
Oxamyl (VYDATE)	0.2	0.0005	ND
EPA 547:			
Glyphosate	0.7	0.006	ND
EPA 548.1:			
Endothall	0.1	0.005	ND
EPA 549.2:			
Diquat	0.02	0.0004	ND
Paraquat	--	0.002	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	NAYA SPRING FINISHED PRODUCT (Produced from Naya Spring Source, 500 mL, L2) 951-254 (mg/L)
EPA 1613: 2,3,7,8-TCDD (DIOXIN)	3x10-8	4.8x10-9	ND
Disinfection Byproducts EPA 300.1: Bromate	0.010	0.001	ND
EPA 300.1B: Chlorite	1.0	0.010	ND
EPA 552.3: Dibromoacetic acid	--	0.001	ND
Dichloroacetic acid	--	0.001	ND
Monobromoacetic acid	--	0.001	ND
Monochloroacetic acid	--	0.002	ND
Trichloroacetic acid	--	0.001	ND
Haloacetic Acids, Total	0.060	0.002	ND
Disinfection Byproducts EPA 524.2: Total Trihalomethanes	0.080	0.0005	ND
Bromodichloromethane	--	0.0005	ND
Bromoform	--	0.0005	ND
Chloroform	--	0.0005	ND
Chlorodibromomethane	--	0.0005	ND
Residual Disinfectants SM4500-CL G: Residual Chlorine, Free	--	0.1	ND
Residual Chlorine, Total	4.0	0.1	ND
Chloramines	4.0	0.1	ND
SM4500-CIO2-D: Chlorine Dioxide	0.8	0.24	ND
Miscellaneous EPA 331.0: Perchlorate	--	0.0005	ND

EPA approved methods were used in all of the analyses and a listing is available upon request. These test results may be used for compliance purposes as required.

¹ The EPA, some State agencies and/or the IBWA may have established alternate MCLs for some of these analytes. Please refer to Federal, State and Industry codes.

² Fluoride MCL is determined by annual average of maximum daily air temperatures where the bottled water is sold. Refer to tables found in 21 CFR 165. The MCL for bottled water to which Fluoride has been added is 0.7 mg/L.

³ Mineral water is exempt from allowable levels per 21 CFR 165.110(b)(3) and (4). The exemptions are aesthetically based allowable levels and do not relate to a health concern.

⁴ MCL established by US FDA for waters that meet the US FDA definition of "Purified" is 5-7 pH Units per the USP XXIII Standards, as referenced in 21 CFR 165.

⁵ The bottled water shall not contain beta particle and photon radioactivity from man-made radionuclides in excess of that which would produce an annual dose equivalent to the total body or any internal organ of 4 millirems per year calculated on the basis of an intake of 2 liters of the water per day (= 50 pCi/L).

⁶ The EPA has a recommended Secondary Maximum Contaminant Level (SMCL) range of 0.05 to 0.2 mg/L for Aluminum.

ANALYTICAL REPORT

PREPARED FOR

Attn: (951) Water Quality Manager
Naya Waters Inc.
2500 Rue de la Naya
Mirabel, Quebec J7N 3A7

Generated 3/16/2026 9:36:25 AM

JOB DESCRIPTION

951-254
Naya Waters - Mirabel - Naya Spring FP

JOB NUMBER

380-199318-1

Eurofins Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

The report format being provided is not compliant with TNI (The NELAC Institute) Standards, and is a client-specific format

Authorization



Generated
3/16/2026 9:36:25 AM

Authorized for release by
Michelle Do, Project Manager
Michelle.Do@et.eurofinsus.com
(626)386-1102

Case Narrative

Client: Naya Waters Inc.
Project: 951-254

Job ID: 380-199318-1

Job ID: 380-199318-1

Eurofins Pomona

Job Narrative 380-199318-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The sample was received on 2/17/2026 10:13 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 10.3°C and 16.3°C.

Receipt Exceptions

Only received 1 of 2 shipments of bottled water, per COC received.

951-254 Naya Spring FP (380-199318-1)

Subcontract Work

Method Asbestos: This method was subcontracted to Eurofins CEI Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Herbicides

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Pesticides/PCBs

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Pesticides

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

LCMS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Dioxin

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 200.7: The continuing calibration blank (CCB) for analytical batch 380-208033 contained Magnesium above the method detection limit (MDL). All reported samples associated with this CCB contained this analyte at a concentration greater than 10X the value found in the CCB; therefore, re-analysis of samples was not performed.

Eurofins Pomona

Case Narrative

Client: Naya Waters Inc.
Project: 951-254

Job ID: 380-199318-1

Job ID: 380-199318-1 (Continued)

Eurofins Pomona

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method SM 5540C: Methylene Blue Active Substances (MBAS) concentrations are calculated as Linear Alkylbenzene Sulphonate (LAS), using a molecular weight of 348.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gas Flow Proportional Counter

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Biology

Method 9215B: The following sample was found to have a high value for the method listed below: 951-254 Naya Spring FP (380-199318-1).

SM9215B

HPC: >5700 CFU/mL

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

Sample Summary

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-199318-1	951-254 Naya Spring FP	Bottled Water	02/09/26 09:12	02/17/26 10:13	Quebec

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8

Client Sample Results

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Client Sample ID: 951-254 Naya Spring FP

Lab Sample ID: 380-199318-1

Date Collected: 02/09/26 09:12

Matrix: Bottled Water

Date Received: 02/17/26 10:13

Method: 524.2 - Total Trihalomethanes

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Trihalomethanes, Total	ND		0.50		ug/L		03/05/26 05:08	1	UKDT

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,1,1-Trichloroethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,1,2-Trichloroethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,1-Dichloroethylene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,1-Dichloroethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,1-Dichloropropene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,2,3-Trichlorobenzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,2,3-Trichloropropane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,2,4-Trichlorobenzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,2,4-Trimethylbenzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,2-Dichloroethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,2-Dichloroethene, Total	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,2-Dichloropropane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,3,5-Trimethylbenzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
1,3-Dichloropropane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
2,2-Dichloropropane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
2-Butanone (MEK)	ND	^3+	5.0		ug/L		03/05/26 05:08	1	N4CJ
Benzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Bromobenzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Bromochloromethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Bromodichloromethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Bromoethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Bromoform	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Bromomethane (Methyl Bromide)	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Carbon disulfide	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Carbon tetrachloride	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Chlorobenzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Chloroethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Chloroform (Trichloromethane)	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Chloromethane (methyl chloride)	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
cis-1,2-Dichloroethylene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
cis-1,3-Dichloropropene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Dibromochloromethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Dibromomethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Dichlorodifluoromethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Dichloromethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Diisopropyl ether	ND		3.0		ug/L		03/05/26 05:08	1	N4CJ
Ethylbenzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Hexachlorobutadiene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Isopropylbenzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
m,p-Xylenes	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
m-Dichlorobenzene (1,3-DCB)	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Methyl-tert-butyl Ether (MTBE)	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Naphthalene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
n-Butylbenzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ

Eurofins Pomona

Client Sample Results

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Client Sample ID: 951-254 Naya Spring FP

Lab Sample ID: 380-199318-1

Date Collected: 02/09/26 09:12

Matrix: Bottled Water

Date Received: 02/17/26 10:13

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
N-Propylbenzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
o-Chlorotoluene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
o-Dichlorobenzene (1,2-DCB)	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
o-Xylene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
p-Chlorotoluene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
p-Dichlorobenzene (1,4-DCB)	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
p-Isopropyltoluene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
sec-Butylbenzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Styrene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Tert-amyl methyl ether	ND		3.0		ug/L		03/05/26 05:08	1	N4CJ
Tert-butyl ethyl ether	ND		3.0		ug/L		03/05/26 05:08	1	N4CJ
tert-Butylbenzene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Tetrachloroethene (PCE)	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Toluene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
trans-1,2-Dichloroethylene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
trans-1,3-Dichloropropene	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Trichloroethylene (TCE)	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Trichlorofluoromethane (Freon 11)	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Trichlorotrifluoroethane	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ
Vinyl Chloride (VC)	ND		0.30		ug/L		03/05/26 05:08	1	N4CJ
Xylenes, Total	ND		0.50		ug/L		03/05/26 05:08	1	N4CJ

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,2-Dichloroethane-d4 (Surr)	100		70 - 130	03/05/26 05:08	1	N4CJ
4-Bromofluorobenzene (Surr)	108		70 - 130	03/05/26 05:08	1	N4CJ
Toluene-d8 (Surr)	99		70 - 130	03/05/26 05:08	1	N4CJ

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,4'-DDD	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
2,4'-DDE	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
2,4'-DDT	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
2,4-Dinitrotoluene	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
2,6-Dinitrotoluene	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
4,4'-DDD	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
4,4'-DDE	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
4,4'-DDT	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Acenaphthene	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Acenaphthylene	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Acetochlor	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Alachlor (Alanex)	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Aldrin	ND		0.0098		ug/L		03/06/26 13:54	1	Q8LA
alpha-BHC	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
alpha-Chlordane	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Anthracene	ND		0.020		ug/L		03/06/26 13:54	1	Q8LA
Atrazine	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Benz(a)anthracene	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Benzo[a]pyrene	ND		0.020		ug/L		03/06/26 13:54	1	Q8LA
Benzo[b]fluoranthene	ND		0.020		ug/L		03/06/26 13:54	1	Q8LA
Benzo[g,h,i]perylene	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA

Eurofins Pomona

Client Sample Results

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Client Sample ID: 951-254 Naya Spring FP

Lab Sample ID: 380-199318-1

Date Collected: 02/09/26 09:12

Matrix: Bottled Water

Date Received: 02/17/26 10:13

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Benzo[k]fluoranthene	ND		0.020		ug/L		03/06/26 13:54	1	Q8LA
beta-BHC	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Bis(2-ethylhexyl) phthalate	ND		0.59		ug/L		03/06/26 13:54	1	Q8LA
Bromacil	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Butachlor	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Butylbenzylphthalate	ND		0.49		ug/L		03/06/26 13:54	1	Q8LA
Chlorobenzilate	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Chloroneb	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Chlorothalonil (Draconil, Bravo)	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Chlorpyrifos	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Chrysene	ND		0.020		ug/L		03/06/26 13:54	1	Q8LA
delta-BHC	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Di(2-ethylhexyl)adipate	ND		0.59		ug/L		03/06/26 13:54	1	Q8LA
Dibenz(a,h)anthracene	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Diclorvos (DDVP)	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Dieldrin	ND		0.0098		ug/L		03/06/26 13:54	1	Q8LA
Diethylphthalate	ND		0.49		ug/L		03/06/26 13:54	1	Q8LA
Dimethoate	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Dimethylphthalate	ND		0.49		ug/L		03/06/26 13:54	1	Q8LA
Di-n-butyl phthalate	ND		0.98		ug/L		03/06/26 13:54	1	Q8LA
Di-n-octyl phthalate	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Endosulfan I (Alpha)	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Endosulfan II (Beta)	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Endosulfan sulfate	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Endrin	ND		0.0098		ug/L		03/06/26 13:54	1	Q8LA
Endrin aldehyde	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
EPTC	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Fluoranthene	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Fluorene	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
gamma-Chlordane	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Heptachlor	ND		0.0098		ug/L		03/06/26 13:54	1	Q8LA
Heptachlor epoxide (isomer B)	ND		0.0098		ug/L		03/06/26 13:54	1	Q8LA
Hexachlorobenzene	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Hexachlorocyclopentadiene	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Indeno[1,2,3-cd]pyrene	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Isophorone	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Lindane	ND		0.0098		ug/L		03/06/26 13:54	1	Q8LA
Malathion	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Methoxychlor	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Metolachlor	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Metribuzin	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Molinate	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Naphthalene	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Parathion	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Pendimethalin (Penoxaline)	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Phenanthrene	ND		0.039		ug/L		03/06/26 13:54	1	Q8LA
Propachlor	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Pyrene	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Simazine	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA

Eurofins Pomona

Client Sample Results

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Client Sample ID: 951-254 Naya Spring FP

Lab Sample ID: 380-199318-1

Date Collected: 02/09/26 09:12

Matrix: Bottled Water

Date Received: 02/17/26 10:13

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Terbacil	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Terbutylazine	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Thiobencarb	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
trans-Nonachlor	ND		0.049		ug/L		03/06/26 13:54	1	Q8LA
Trifluralin	ND		0.098		ug/L		03/06/26 13:54	1	Q8LA
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
2-Nitro-m-xylene	98		70 - 130				03/06/26 13:54	1	Q8LA
Perylene-d12	104		70 - 130				03/06/26 13:54	1	Q8LA
Triphenylphosphate	105		70 - 130				03/06/26 13:54	1	Q8LA

Method: 548.1 - Endothall (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Endothall	ND		5.0		ug/L		02/28/26 02:18	1	DT
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
2,4-Dichlorophenylacetic acid	89		70 - 130				02/28/26 02:18	1	DT

Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
1,2,3-Trichloropropane	ND		0.019		ug/L		02/23/26 21:28	1	X5FS
1,2-Dibromo-3-Chloropropane	ND		0.0097		ug/L		02/23/26 21:28	1	X5FS
1,2-Dibromoethane	ND		0.0097		ug/L		02/23/26 21:28	1	X5FS
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
1,2-Dibromopropane (Surr)	95		60 - 140				02/23/26 21:28	1	X5FS

Method: 505 - Organochlorine Pesticides/PCBs (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Chlordane	ND		0.098		ug/L		02/24/26 00:17	1	DR5R
PCB-1016	ND		0.069		ug/L		02/24/26 00:17	1	DR5R
PCB-1221	ND		0.098		ug/L		02/24/26 00:17	1	DR5R
PCB-1232	ND		0.098		ug/L		02/24/26 00:17	1	DR5R
PCB-1242	ND		0.098		ug/L		02/24/26 00:17	1	DR5R
PCB-1248	ND		0.098		ug/L		02/24/26 00:17	1	DR5R
PCB-1254	ND		0.098		ug/L		02/24/26 00:17	1	DR5R
PCB-1260	ND		0.069		ug/L		02/24/26 00:17	1	DR5R
Polychlorinated biphenyls, Total	ND		0.098		ug/L		02/24/26 00:17	1	DR5R
Toxaphene	ND		0.49		ug/L		02/24/26 00:17	1	DR5R
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
Tetrachloro-m-xylene	98		70 - 130				02/24/26 00:17	1	DR5R

Method: 515.4 - Herbicides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,4,5-T	ND		0.20		ug/L		02/26/26 13:44	1	K9GY
2,4,5-TP (Silvex)	ND		0.10		ug/L		02/26/26 13:44	1	K9GY
2,4-D	ND		0.10		ug/L		02/26/26 13:44	1	K9GY
2,4-DB	ND		2.0		ug/L		02/26/26 13:44	1	K9GY
3,5-Dichlorobenzoic acid	ND		0.50		ug/L		02/26/26 13:44	1	K9GY
Acifluorfen	ND		0.20		ug/L		02/26/26 13:44	1	K9GY

Eurofins Pomona

Client Sample Results

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Client Sample ID: 951-254 Naya Spring FP

Lab Sample ID: 380-199318-1

Date Collected: 02/09/26 09:12

Matrix: Bottled Water

Date Received: 02/17/26 10:13

Method: 515.4 - Herbicides (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Bentazon	ND		0.50		ug/L		02/26/26 13:44	1	K9GY
Dalapon	ND		1.0		ug/L		02/26/26 13:44	1	K9GY
Dicamba	ND		0.10		ug/L		02/26/26 13:44	1	K9GY
Dichlorprop	ND		0.50		ug/L		02/26/26 13:44	1	K9GY
Dinoseb	ND		0.20		ug/L		02/26/26 13:44	1	K9GY
Pentachlorophenol	ND		0.040		ug/L		02/26/26 13:44	1	K9GY
Picloram	ND		0.10		ug/L		02/26/26 13:44	1	K9GY

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
2,4-Dichlorophenylacetic acid (Surr)	100		70 - 130	02/26/26 13:44	1	K9GY

Method: 6251B - Haloacetic Acids (HAAs) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Bromochloroacetic acid	ND		1.0		ug/L		02/25/26 07:40	1	KF9K
Dibromoacetic acid	ND		1.0		ug/L		02/25/26 07:40	1	KF9K
Dichloroacetic acid	ND		1.0		ug/L		02/25/26 07:40	1	KF9K
Monobromoacetic acid	ND		1.0		ug/L		02/25/26 07:40	1	KF9K
Monochloroacetic acid	ND		2.0		ug/L		02/25/26 07:40	1	KF9K
Trichloroacetic acid	ND		1.0		ug/L		02/25/26 07:40	1	KF9K

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
2,3-Dibromopropionic acid	104		70 - 130	02/25/26 07:40	1	KF9K

Method: 6251B - Total Haloacetic Acids (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Total Haloacetic Acids 5	ND		2.0		ug/L		02/25/26 07:40	1	YXX2

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Chloride	3.8		0.50		mg/L		02/23/26 20:33	1	BG6L
Chlorite	ND		10		ug/L		02/27/26 03:52	1	UNJR
Nitrate as N	ND		0.050		mg/L		02/23/26 20:33	1	BG6L
Bromide	9.1		5.0		ug/L		02/27/26 03:52	1	UNJR
Nitrite as N	ND		0.050		mg/L		02/23/26 20:33	1	BG6L
Sulfate	20		0.25		mg/L		02/23/26 20:33	1	BG6L

Method: 300.0 - Nitrogen, Nitrate-Nitrite

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Nitrate Nitrite as N	ND		0.050		mg/L		02/23/26 20:33	1	YXX2

Method: 317 - Bromate, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Bromate	ND		1.0		ug/L		02/26/26 07:34	1	XLG4

Method: 531.2 - Carbamate Pesticides (HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
3-Hydroxycarbofuran	ND		0.50		ug/L		03/04/26 02:57	1	Q6XM
Aldicarb	ND		0.50		ug/L		03/04/26 02:57	1	Q6XM
Aldicarb sulfone	ND		0.50		ug/L		03/04/26 02:57	1	Q6XM
Aldicarb sulfoxide	ND		0.50		ug/L		03/04/26 02:57	1	Q6XM
Baygon	ND		0.50		ug/L		03/04/26 02:57	1	Q6XM

Eurofins Pomona

Client Sample Results

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Client Sample ID: 951-254 Naya Spring FP

Lab Sample ID: 380-199318-1

Date Collected: 02/09/26 09:12

Matrix: Bottled Water

Date Received: 02/17/26 10:13

Method: 531.2 - Carbamate Pesticides (HPLC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Carbaryl	ND		0.50		ug/L		03/04/26 02:57	1	Q6XM
Carbofuran	ND		0.50		ug/L		03/04/26 02:57	1	Q6XM
Methiocarb	ND		0.50		ug/L		03/04/26 02:57	1	Q6XM
Methomyl	ND		0.50		ug/L		03/04/26 02:57	1	Q6XM
Oxamyl	ND		0.50		ug/L		03/04/26 02:57	1	Q6XM
Surrogate	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
BDMC	104		70 - 130				03/04/26 02:57	1	Q6XM

Method: 547 - Glyphosate (DAI HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Glyphosate	ND		6.0		ug/L		02/24/26 00:02	1	UD4M

Method: 549.2 - Diquat and Paraquat (HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Diquat	ND		0.41		ug/L		02/27/26 02:38	1	UD4M
Paraquat	ND		2.1		ug/L		02/27/26 02:38	1	UD4M

Method: 331.0 - Perchlorate (LC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Perchlorate	ND		0.50		ug/L		02/23/26 14:44	1	R6YA

Method: 1613B - Tetra Chlorinated Dioxin (GC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,3,7,8-TCDD	ND		4.8		pg/L		02/27/26 19:54	1	X8AA
Isotope Dilution	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
13C-2,3,7,8-TCDD	67		31 - 137				02/27/26 19:54	1	X8AA

Method: 200.7 - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Boron	ND		0.050		mg/L		02/23/26 12:01	1	MF7S
Calcium	43		0.10		mg/L		02/23/26 12:01	1	MF7S
Iron	ND		0.010		mg/L		02/23/26 12:01	1	MF7S
Magnesium	22 ^2		0.10		mg/L		02/23/26 12:01	1	MF7S
Potassium	2.1		0.20		mg/L		02/23/26 12:01	1	MF7S
Sodium	6.9		0.10		mg/L		02/23/26 12:01	1	MF7S

Method: 200.8 - Mercury (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Hg	ND		0.20		ug/L		02/23/26 13:54	1	T8BB

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Aluminum	ND		20		ug/L		02/23/26 13:54	1	T8BB
Antimony	ND		1.0		ug/L		02/23/26 13:54	1	T8BB
Arsenic	2.7		2.0		ug/L		02/23/26 13:54	1	T8BB
Barium	17		2.0		ug/L		02/23/26 13:54	1	T8BB
Beryllium	ND		0.30		ug/L		02/23/26 13:54	1	T8BB
Cadmium	ND		0.50		ug/L		02/23/26 13:54	1	T8BB
Chromium	ND		0.90		ug/L		02/23/26 13:54	1	T8BB
Copper	ND		1.0		ug/L		02/23/26 13:54	1	T8BB

Eurofins Pomona

Client Sample Results

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Client Sample ID: 951-254 Naya Spring FP

Lab Sample ID: 380-199318-1

Date Collected: 02/09/26 09:12

Matrix: Bottled Water

Date Received: 02/17/26 10:13

Method: 200.8 - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Lead	ND		0.50		ug/L		02/23/26 13:54	1	T8BB
Manganese	5.1		2.0		ug/L		02/23/26 13:54	1	T8BB
Nickel	ND		5.0		ug/L		02/23/26 13:54	1	T8BB
Selenium	ND		2.0		ug/L		02/23/26 13:54	1	T8BB
Silver	ND		0.50		ug/L		02/23/26 13:54	1	T8BB
Thallium	ND		0.30		ug/L		02/23/26 13:54	1	T8BB
Uranium	ND		1.0		ug/L		02/23/26 13:54	1	T8BB
Zinc	ND		5.0		ug/L		02/23/26 13:54	1	T8BB
Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Uranium	ND		0.67		pCi/L		02/23/26 13:54	1	T8BB

Method: SM 2340B - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Hardness (as CaCO3)	200		2.9		mg/L		02/23/26 21:19	1	D5TU
Calcium hardness as CaCO3	110		2.5		mg/L		02/23/26 21:19	1	D5TU
Magnesium hardness as calcium carbonate	93		0.41		mg/L		02/23/26 21:19	1	D5TU

General Chemistry

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Analyzed	Dil Fac	Analyst
Corrosivity (SM 2330B)	0.54				LangSU		02/23/26 21:19	1	D5TU
Langelier Index (SM 2330B)	0.54				LangSU		02/23/26 21:19	1	D5TU
Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Turbidity (180.1)	0.15		0.10		NTU		02/23/26 11:11	1	MQP5
Cyanide, Total (335.4)	ND		0.010		mg/L		02/26/26 13:52	1	MH2L
Phenols, Total (420.4)	ND		1.0		ug/L		02/27/26 18:34	1	UFU5
Alkalinity as CaCO3 (SM 2320B)	200		4.0		mg/L		02/23/26 17:27	1	PK4Q
Bicarbonate Alkalinity as CaCO3 (SM 2320B)	200		4.0		mg/L		02/23/26 17:27	1	PK4Q
Carbonate Alkalinity as CaCO3 (SM 2320B)	ND		4.0		mg/L		02/23/26 17:27	1	PK4Q
Hydroxide Alkalinity as CaCO3 (SM 2320B)	ND		4.0		mg/L		02/23/26 17:27	1	PK4Q
Specific Conductance (SM 2510B)	440		2.0		umhos/cm		02/23/26 17:27	1	PK4Q
Total Dissolved Solids (SM 2540C)	260		20		mg/L		02/23/26 14:42	1	UJRF
Chlorine, Total Residual (SM 4500 Cl G)	ND		0.10		mg/L		02/23/26 15:47	1	LQ3M
Chloramines, Total (SM 4500 Cl G)	ND		0.10		mg/L		02/23/26 15:47	1	LQ3M
Chlorine, free (SM 4500 Cl G)	ND		0.10		mg/L		02/23/26 15:47	1	LQ3M
Fluoride (SM 4500 F C)	0.14		0.050		mg/L		02/23/26 20:40	1	PK4Q
Methylene Blue Active Substances (SM 5540C)	ND		0.10		mg/L		02/22/26 13:42	1	N9HH
Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Chlorine dioxide (4500 ClO2 D)	ND		0.24		mg/L		02/23/26 15:47	1	LQ3M
Color, Apparent (SM 2120B)	ND		2.0		Color Units		02/23/26 12:01	1	MQP5
Odor (SM 2150B)	ND		1.0		T.O.N.		02/23/26 09:50	1	EFJZ
pH (SM 4500 H+ B)	8.0		0.01		SU		02/23/26 17:27	1	PK4Q

Eurofins Pomona

Client Sample Results

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Client Sample ID: 951-254 Naya Spring FP

Lab Sample ID: 380-199318-1

Date Collected: 02/09/26 09:12

Matrix: Bottled Water

Date Received: 02/17/26 10:13

Method: 900.0 - Gross Alpha and Gross Beta Radioactivity for Drinking Water

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Gross Alpha	0.795	U	1.80	1.80	3.00	1.86	pCi/L	03/06/26 07:54	1	SWS
Gross Beta	3.00		0.807	0.861	4.00	0.678	pCi/L	03/06/26 07:54	1	SWS

Method: 903.0 - Radium-226 (GFPC) for Drinking Water

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-226	0.579		0.416	0.419	1.00	0.369	pCi/L	02/27/26 08:15	1	SWS
Carrier	%Yield	Qualifier	Limits					Analyzed	Dil Fac	Analyst
Ba Carrier	87.1		30 - 110					02/27/26 08:15	1	SWS

Method: 904.0 - Radium-228 (GFPC) for Drinking Water

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-228	0.218	U	0.411	0.411	1.00	0.426	pCi/L	03/03/26 09:52	1	SWS
Carrier	%Yield	Qualifier	Limits					Analyzed	Dil Fac	Analyst
Ba Carrier	90.3		30 - 110					03/03/26 09:52	1	SWS
Y Carrier	80.0		30 - 110					03/03/26 09:52	1	SWS

Method: Ra226_Ra228 P - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium 226 and 228	0.797		0.585	0.587	5.00	0.426	pCi/L	03/03/26 14:06	1	FLC

Method: 9215B - Heterotrophic Plate Count

Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Heterotrophic Plate Count	>5700		1		CFU/mL		02/23/26 12:08	1	ZE3N

Method: 9223 B-2016 - Coliforms, Total, and E.Coli (Colilert 18 - Quanti Tray)

Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Coliform, Total	<1.0		1.0		MPN/100mL		02/23/26 17:40	1	ZE3N
Escherichia coli	<1.0		1.0		MPN/100mL		02/23/26 17:40	1	ZE3N

Action Limit Summary

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Client Sample ID: 951-254 Naya Spring FP

Lab Sample ID: 380-199318-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	EPAMCLS Limit	RL	Method	Prep Type
Trihalomethanes, Total	ND		ug/L	80		0.50	524.2	Total/NA
1,1,1-Trichloroethane	ND		ug/L	200		0.50	524.2	Total/NA
1,1,2-Trichloroethane	ND		ug/L	5		0.50	524.2	Total/NA
1,1-Dichloroethylene	ND		ug/L	7		0.50	524.2	Total/NA
1,2,4-Trichlorobenzene	ND		ug/L	70		0.50	524.2	Total/NA
1,2-Dichloroethane	ND		ug/L	5		0.50	524.2	Total/NA
1,2-Dichloropropane	ND		ug/L	5		0.50	524.2	Total/NA
Benzene	ND		ug/L	5		0.50	524.2	Total/NA
Bromodichloromethane	ND		ug/L	80		0.50	524.2	Total/NA
Bromoform	ND		ug/L	80		0.50	524.2	Total/NA
Carbon tetrachloride	ND		ug/L	5		0.50	524.2	Total/NA
Chlorobenzene	ND		ug/L	100		0.50	524.2	Total/NA
Chloroform (Trichloromethane)	ND		ug/L	80		0.50	524.2	Total/NA
cis-1,2-Dichloroethylene	ND		ug/L	70		0.50	524.2	Total/NA
Dibromochloromethane	ND		ug/L	80		0.50	524.2	Total/NA
Dichloromethane	ND		ug/L	5		0.50	524.2	Total/NA
Ethylbenzene	ND		ug/L	700		0.50	524.2	Total/NA
o-Dichlorobenzene (1,2-DCB)	ND		ug/L	600		0.50	524.2	Total/NA
p-Dichlorobenzene (1,4-DCB)	ND		ug/L	75		0.50	524.2	Total/NA
Styrene	ND		ug/L	100		0.50	524.2	Total/NA
Tetrachloroethene (PCE)	ND		ug/L	5		0.50	524.2	Total/NA
Toluene	ND		ug/L	1000		0.50	524.2	Total/NA
trans-1,2-Dichloroethylene	ND		ug/L	100		0.50	524.2	Total/NA
Trichloroethylene (TCE)	ND		ug/L	5		0.50	524.2	Total/NA
Vinyl Chloride (VC)	ND		ug/L	2		0.30	524.2	Total/NA
Xylenes, Total	ND		ug/L	10000		0.50	524.2	Total/NA
Alachlor (Alanex)	ND		ug/L	2		0.049	525.2	Total/NA
Atrazine	ND		ug/L	3		0.049	525.2	Total/NA
Benzo[a]pyrene	ND		ug/L	0.2		0.020	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	ND		ug/L	6		0.59	525.2	Total/NA
Di(2-ethylhexyl)adipate	ND		ug/L	400		0.59	525.2	Total/NA
Endrin	ND		ug/L	2		0.0098	525.2	Total/NA
Heptachlor	ND		ug/L	0.4		0.0098	525.2	Total/NA
Heptachlor epoxide (isomer B)	ND		ug/L	0.2		0.0098	525.2	Total/NA
Hexachlorobenzene	ND		ug/L	1		0.049	525.2	Total/NA
Hexachlorocyclopentadiene	ND		ug/L	50		0.049	525.2	Total/NA
Lindane	ND		ug/L	0.2		0.0098	525.2	Total/NA
Methoxychlor	ND		ug/L	40		0.049	525.2	Total/NA
Simazine	ND		ug/L	4		0.049	525.2	Total/NA
Endothall	ND		ug/L	100		5.0	548.1	Total/NA
1,2-Dibromo-3-Chloropropane	ND		ug/L	0.2		0.0097	504.1	Total/NA
1,2-Dibromoethane	ND		ug/L	0.05		0.0097	504.1	Total/NA
Chlordane	ND		ug/L	2		0.098	505	Total/NA
Polychlorinated biphenyls, Total	ND		ug/L	0.5		0.098	505	Total/NA
Toxaphene	ND		ug/L	3		0.49	505	Total/NA
2,4,5-TP (Silvex)	ND		ug/L	50		0.10	515.4	Total/NA
2,4-D	ND		ug/L	70		0.10	515.4	Total/NA
Dalapon	ND		ug/L	200		1.0	515.4	Total/NA

Eurofins Pomona

Action Limit Summary

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Client Sample ID: 951-254 Naya Spring FP (Continued)

Lab Sample ID: 380-199318-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	EPAMCLS Limit	RL	Method	Prep Type
Dinoseb	ND		ug/L	7		0.20	515.4	Total/NA
Pentachlorophenol	ND		ug/L	1		0.040	515.4	Total/NA
Picloram	ND		ug/L	500		0.10	515.4	Total/NA
Dibromoacetic acid	ND		ug/L	60		1.0	6251B	Total/NA
Dichloroacetic acid	ND		ug/L	60		1.0	6251B	Total/NA
Monobromoacetic acid	ND		ug/L	60		1.0	6251B	Total/NA
Monochloroacetic acid	ND		ug/L	60		2.0	6251B	Total/NA
Trichloroacetic acid	ND		ug/L	60		1.0	6251B	Total/NA
Total Haloacetic Acids 5	ND		ug/L	60		2.0	6251B	Total/NA
Chloride	3.8		mg/L		250	0.50	300.0	Total/NA
Chlorite	ND		ug/L	1000		10	300.0	Total/NA
Nitrate as N	ND		mg/L	10		0.050	300.0	Total/NA
Nitrite as N	ND		mg/L	1		0.050	300.0	Total/NA
Sulfate	20		mg/L		250	0.25	300.0	Total/NA
Nitrate Nitrite as N	ND		mg/L	10		0.050	300.0	Total/NA
Bromate	ND		ug/L	10		1.0	317	Total/NA
Aldicarb	ND		ug/L	3		0.50	531.2	Total/NA
Aldicarb sulfone	ND		ug/L	2		0.50	531.2	Total/NA
Aldicarb sulfoxide	ND		ug/L	4		0.50	531.2	Total/NA
Carbofuran	ND		ug/L	40		0.50	531.2	Total/NA
Oxamyl	ND		ug/L	200		0.50	531.2	Total/NA
Glyphosate	ND		ug/L	700		6.0	547	Total/NA
Diquat	ND		ug/L	20		0.41	549.2	Total/NA
Perchlorate	ND		ug/L	15		0.50	331.0	Total/NA
2,3,7,8-TCDD	ND		pg/L	30		4.8	1613B	Total/NA
Iron	ND		mg/L		0.3	0.010	200.7	Total/NA
Hg	ND		ug/L	2		0.20	200.8	Total/NA
Aluminum	ND		ug/L		50	20	200.8	Total/NA
Antimony	ND		ug/L	6		1.0	200.8	Total/NA
Arsenic	2.7		ug/L	10		2.0	200.8	Total/NA
Barium	17		ug/L	2000		2.0	200.8	Total/NA
Beryllium	ND		ug/L	4		0.30	200.8	Total/NA
Cadmium	ND		ug/L	5		0.50	200.8	Total/NA
Chromium	ND		ug/L	100		0.90	200.8	Total/NA
Copper	ND		ug/L	1300	1000	1.0	200.8	Total/NA
Lead	ND		ug/L	10.00		0.50	200.8	Total/NA
Manganese	5.1		ug/L		50	2.0	200.8	Total/NA
Selenium	ND		ug/L	50		2.0	200.8	Total/NA
Silver	ND		ug/L		100	0.50	200.8	Total/NA
Thallium	ND		ug/L	2		0.30	200.8	Total/NA
Uranium	ND		ug/L	30		1.0	200.8	Total/NA
Uranium	ND		pCi/L	20		0.67	200.8	Total/NA
Zinc	ND		ug/L		5000	5.0	200.8	Total/NA
Cyanide, Total	ND		mg/L	0.2		0.010	335.4	Total/NA
Chlorine dioxide	ND		mg/L	0.8		0.24	4500 ClO2 D	Total/NA
Color, Apparent	ND		Color Units		15	2.0	SM 2120B	Total/NA
Odor	ND		T.O.N.		3	1.0	SM 2150B	Total/NA
Total Dissolved Solids	260		mg/L		500	20	SM 2540C	Total/NA

Eurofins Pomona

Action Limit Summary

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Client Sample ID: 951-254 Naya Spring FP (Continued)

Lab Sample ID: 380-199318-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	EPAMCLS Limit	RL	Method	Prep Type
Chlorine, Total Residual	ND		mg/L	4		0.10	SM 4500 Cl G	Total/NA
Chloramines, Total	ND		mg/L	4		0.10	SM 4500 Cl G	Total/NA
Fluoride	0.14		mg/L	4	2	0.050	SM 4500 F C	Total/NA
pH	8.0		SU		6.5	0.01	SM 4500 H+ B	Total/NA
Methylene Blue Active Substances	ND		mg/L		0.5	0.10	SM 5540C	Total/NA
Gross Alpha	0.795	U	pCi/L	15		3.00	900.0	Total/NA
Gross Beta	3.00		pCi/L	50		4.00	900.0	Total/NA
Radium 226 and 228	0.797		pCi/L	5		5.00	Ra226_Ra228 P	Total/NA

Accreditation/Certification and Definitions Summary

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Laboratory: Eurofins Pomona

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5890.01 & 5890.02	06-30-27
Alabama	State	41060	06-18-26
Arizona	State	AZ0833	02-27-27
Arkansas (DW)	State	CA00006	01-31-27
California	State	2813	06-18-27
Colorado	State	CA00006	01-31-27
Connecticut	State	PH-0107	03-31-26
Delaware (DW)	State	CA00006	01-31-27
Florida	NELAP	E871024	06-30-26
Georgia (DW)	State	947	01-31-26 *
Guam	State	25-02R	03-31-26
Hawaii	State	CA00006	01-31-26 *
Hawaii (Micro)	State	CA00006	01-31-27
Idaho (DW)	State	CA00006	01-31-27
Idaho (Micro)	State	CA00006	03-31-26
Illinois	NELAP	200033	03-31-27
Indiana	State	C-CA-01	06-18-27
Kansas	NELAP	E-10268	04-30-26
Kentucky (DW)	State	KY90107	12-31-26
Louisiana (DW)	State	LA008	12-31-26
Maine	State	CA00006A	03-08-26
Maryland	State	224	03-10-26
Massachusetts	State	M-CA006	06-30-26
MI - RadChem Recognition	State	9906	03-17-26
Michigan	State	9906	03-17-26
Mississippi	State	CA00006	03-09-26
Montana (DW)	State	CERT0035	01-01-27
Nebraska	State	NE-OS-21-13	01-31-27
Nevada	State	CA00006	07-31-26
New Hampshire	NELAP	2959	03-29-26
New Jersey	NELAP	CA008	06-30-26
New Mexico	State	CA00006	01-31-27
New York	NELAP	11320	04-01-26
North Carolina (DW)	State	06701	07-31-26
North Dakota	State	R-009	01-31-26 *
Northern Mariana Islands (DW)	State	CA00006	01-31-27
Ohio	State	87786	01-31-27
Oregon	NELAP	4034	01-29-27
Pennsylvania	NELAP	68-00565	10-31-26
Puerto Rico	State	CA00006	03-31-26
Rhode Island	State	LAO00381	12-30-26
South Dakota (DW)	State	CA11320	06-18-27
Tennessee	State	TN02839	06-18-26
Texas	NELAP	T104704230	09-30-26
Utah	NELAP	CA00006	01-31-27
Vermont	State	VT-0114	01-22-27
Virginia	NELAP	460260	06-14-26
Washington	State	C838	03-11-26
Wyoming	State	8-TMS-L	06-18-27

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Laboratory: Eurofins South Bend

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5794.01	07-31-26
Alabama	State	40700	06-30-26
Alaska	State	IN00035	03-08-26
Arizona	State	AZ0432	07-26-26
Arkansas (DW)	State	EPA IN00035	06-30-26
California	State	2920	03-04-26
Colorado	State	IN00035	02-28-26
Connecticut	State	PH-0132	03-31-26
Delaware (DW)	State	IN00035	06-30-26
Florida	NELAP	E87775	06-30-26
Georgia (DW)	State	929	06-30-26
Guam	State	25-08R	07-15-26
Hawaii	State	IN00035	06-30-26
Idaho (DW)	State	IN00035	12-31-26
IL Dept. of Public Health (Micro)	State	17767	06-30-26
Illinois	NELAP	200001	03-04-26
Indiana	State	C-71-01	03-03-26
Indiana (Micro)	State	M-76-07	03-03-26
Iowa	State	098	11-01-27
Kansas	NELAP	E-10233	10-31-26
Kentucky (DW)	State	KY90056	12-31-26
Louisiana (DW)	State	LA014	12-31-26
Maine	State	IN00035	05-01-27
Maryland	State	209	06-30-26
Massachusetts	State	M-IN035	06-30-26
MI - RadChem Recognition	State	9926	06-30-26
Michigan	State	9926	03-30-26
Minnesota	NELAP	018-999-338	12-31-26
Mississippi	State	IN00035	03-04-26
Missouri	State	880	09-30-27
Montana (DW)	State	CERT0026	01-01-27
Nebraska	State	NE-OS-05-04	06-30-26
Nevada	State	IN00035	07-31-26
New Hampshire	NELAP	2124	11-05-26
New Jersey	NELAP	IN598	06-30-26
New Mexico	State	IN00035	06-30-26
New York	NELAP	11398	04-01-26
North Carolina (DW)	State	18700	07-31-26
North Dakota	State	R-035	06-30-26
Northern Mariana Islands (DW)	State	IN00035	06-30-26
Ohio	State	87775	06-30-26
Oklahoma	NELAP	D9508	12-31-26
Oregon	NELAP	4156	09-16-26
Pennsylvania	NELAP	68-00466	04-30-26
Puerto Rico	State	IN00035	03-03-26
Rhode Island	State	LAO00391	12-30-26
South Carolina	State	95005001	06-30-26
South Dakota (DW)	State	IN00035	06-30-26
Tennessee	State	TN02973	06-30-26
Texas	NELAP	T104704187	12-31-26

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Laboratory: Eurofins South Bend (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	TCEQ Water Supply	TX207	06-30-26
Utah	NELAP	IN00035	07-31-26
Vermont	State	VT-8775	11-15-26
Virginia	NELAP	460275	03-14-26
Washington	State	C837	01-01-27
West Virginia (DW)	State	9927 C	01-31-27
Wisconsin	State	999766900	08-31-26
Wisconsin (Micro)	State	10121	12-31-26
Wyoming	State	8TMS-L	06-30-26

Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-27
ANAB	Dept. of Defense ELAP	L2305	04-06-27
ANAB	Dept. of Energy	L2305.01	04-06-27
ANAB	ISO/IEC 17025	L2305	04-06-27
Arizona	State	AZ0813	12-08-26
California	Los Angeles County Sanitation Districts	10259	06-30-22 *
California	State	2886	07-01-26
Connecticut	State	PH-0241	03-31-27
Florida	NELAP	E87689	06-30-26
Georgia (DW)	State	C061	06-30-26
HI - RadChem Recognition	State	n/a	06-30-26
Illinois	NELAP	200023	11-30-26
Iowa	State	373	12-01-26
Kansas	NELAP	E-10236	10-31-26
Kentucky (DW)	State	KY90125	12-31-26
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-26
Louisiana (All)	NELAP	106151	06-30-26
Louisiana (DW)	State	LA011	12-31-26
Maine	State	MO00054	03-05-28
Maryland	State	310	10-01-26
Massachusetts	State	M-MO054	06-30-26
MI - RadChem Recognition	State	9005	06-30-26
Missouri	State	780	06-30-28
Nevada	State	MO00054	07-31-26
New Hampshire	NELAP	2100	02-04-27
New Jersey	NELAP	MO002	06-30-26
New Mexico	State	MO00054	06-30-26
New York	NELAP	11616	04-01-26
North Carolina (DW)	State	29700	06-30-26
North Dakota	State	R-207	06-30-26
Oklahoma	NELAP	9997	12-31-26
Oregon	NELAP	4157	09-01-26
Pennsylvania	NELAP	68-00540	02-28-27
Rhode Island	State	LAO00392	12-30-26
South Carolina	State	85002	06-30-26

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Laboratory: Eurofins St. Louis (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704193	07-31-26
US Fish & Wildlife	US Federal Programs	058448	07-31-26
USDA	US Federal Programs	525-23-138-94730	05-18-26
Utah	NELAP	MO00054	07-31-26
Vermont	State	VT 87689	03-20-27
Virginia	NELAP	460230	06-14-26
Washington	State	C592	08-31-26
West Virginia DEP	State	381	10-31-26

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased

Metals

Qualifier	Qualifier Description
^2	Calibration Blank (ICB and/or CCB) is outside acceptance limits.

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
MRL	Method Reporting Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: Naya Waters Inc.
Project/Site: 951-254

Job ID: 380-199318-1
SDG: Naya Waters - Mirabel - Naya Spring FP

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
SDL	Sample Detection Limit
SDL	Sample Detection Limit
SDL	Sample Detection Limit
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

March 10, 2026

Michelle Do
Eurofins Drinking Water and Wastewater West (Pomona)
941 Corporate Center Drive
Pomona, CA 91768

CLIENT PROJECT: 951-254 38010858 380-199318-1
LAB CODE: 727943-1

Dear Michelle,

Enclosed are asbestos analysis results for TEM water samples received at our laboratory on 02/24/26. The samples were analyzed for asbestos using transmission electron microscopy (TEM) per the US EPA 100.2 Method.

The current EPA regulatory limit for asbestos in water is 7 million fibers per liter (MFL, > 10 µm in length). The analytical sensitivity for the EPA 100.2 method is 0.2 MFL.

Thank you for your business and we look forward to continuing good relations.

Kind Regards,



Kamila Reichert,
Laboratory Director

ASBESTOS ANALYTICAL REPORT
By: Transmission Electron Microscopy

Prepared for

Eurofins Drinking Water and Wastewater West (Pomona)

CLIENT PROJECT: 951-254 38010858 380-199318-1

LAB CODE: 727943-1

TEST METHOD: EPA 100.2

REPORT DATE: 03/10/26

ASBESTOS IN WATER ANALYSIS

By: Transmission Electron Microscopy

Client: Eurofins Drinking Water and Wastewater West (Pomona)
941 Corporate Center Drive
Pomona, CA 91768

Lab Code: 727943-1
Date Received: 02/24/26
Date Analyzed: 03/08/26
Date Reported: 03/10/26

Project: 951-254 38010858 380-199318-1

Method: TEM EPA 100.2 (DRINKING WATER)

Client ID Lab ID	Date Collected	Date Filtered	Sample Volume Filtered (mL)	Dilution Factor	Effective Filter Area (mm²)	# of Grids Openings Analyzed	Total Area Of Filter Examined	Analytical Sensitivity (MFL)	Asbestos Type	>10µm	Concentration (MFL)	Confidence Limit Lower	Confidence Limit Upper
951-254 Naya Spring F.P. (380-199318-1) 4164114	02/09/26 09:12	03/02/26 16:36	100	1	1060	6	0.0588	0.180	None Detected	0	<0.180	0	<0.67

LEGEND: MFL = million fibers per liter, > 10 µm in length

METHOD: EPA 100.2

AVERAGE GRID OPENING SIZE: 0.0098 mm²

ANALYTICAL SENSITIVITY: 0.2 MFL

MAXIMUM CONTAMINANT LEVEL: 7 MFL

Eurofins Built Environment Testing East, LLC makes no warranty representation regarding the accuracy of client submitted information in preparing and presenting analytical results. Interpretation of the analytical results is the sole responsibility of the client. This report relates only to the samples tested or analyzed and may not be reproduced, except in full, without written approval by Eurofins Built Environment Testing East, LLC. Estimated measurement of uncertainty is available on request. Samples were received in acceptable condition unless otherwise noted.

Information provided by customer includes customer sample ID, location, volume and area as well as date and time of sampling.

Sample bottle was not provided by Eurofins Built Environment Testing East, LLC.

For the current states of certification please refer to the website: www.eurofinsus.com/environment-testing/built-environment/locations/eurofins-cei/


Catherine Sheldon
Analyst

DATA QA:


Alyssa Thompson
3/10/2026

APPROVED BY:


Kamila Reichert,
Laboratory Director

RES Job #: 727943

SUBMITTED BY	INVOICE TO	CONTACT INFORMATION	SERIES
Company: Eurofins Drinking Water and Wastewater West (...)	Company: Eurofins Drinking Water and Wastewater West (...)	Contact: Michelle Do	-1 TEM Standard
Address: 941 Corporate Center Drive	Address: 941 Corporate Center Drive	Phone: (626) 386-1100	
Pomona, CA 91768	Pomona, CA 91768	Fax:	
		Cell:	
Project Number and/or P.O. #: 951-254 38010858 380-199318-1	Project Zip Code:	Final Data Deliverable Email Address:	
Project Description/Location: None Given		michelle.do@et.eurofinsus.com (+ 2 ADDNL. CONTACTS)	

ASBESTOS LABORATORY					REQUESTED ANALYSIS					VALID MATRIX CODES				LAB NOTES		
PLM / PCM / TEM / NYS DTL RUSH PRIORITY STANDARD					PLM TEM - EPA 100.2 PCM NYS DUST METALS ORGANICS VIABLES MEDICAL MOLD						Air = A		Bulk = B		BW	
											Dust = D		Food = F			
CHEMISTRY LABORATORY											Paint = P		Soil = S			
Dust											Surface = SU		Swab = SW			
Metals											Tape = T		Wipe = W			
											Drinking Water = DW					
											Waste Water = WW					
Organics*											**ASTM E1792 approved wipe media only**					
MICROBIOLOGY LABORATORY											Sample Volume (L/Y Area Sample Temperature (°C) Length(or Aliquots) x Width(or Area/Aliquot) Matrix Code # of Containers Date Collected mm/dd/yy Time Collected hh:mm					
Viable Analysis**																
Medical Device Analysis																
Mold Analysis																
Turnaround times establish a laboratory priority, subject to laboratory volume and are not guaranteed. Additional fees apply for afterhours, weekends and holidays.																
Special Instructions:																
W12236																
Client Sample ID Number (Sample ID's must be unique)																
1 951-254 Naya Spring F.P. (380-199318-1)																

Eurolins Built Environment Testing East, LLC establishes a unique Lab Sample ID, for each sample, by preceding each unique Client Sample ID with the laboratory RES Job Number.

Eurofins Built Environment Testing East, LLC will analyze incoming samples based on information received and will not be responsible for errors or omissions in calculations resulting from the inaccuracy of original data. By signing, client/company representative agrees that submission of the following samples for requested analysis as indicated on this Chain of Custody shall constitute an analytical services agreement with payment terms of INTERCO. Failure to comply with payment terms may result in a 18% APR finance charge.

Relinquished By:

Date/Time: 02/24/2026 13:56:13

Sample Condition: **Acceptable**

Received By:

PA


Peter Allen

Date/Time: 02/24/2026 15:23:02

Carrier: **Fed-Ex**

CHAIN OF CUSTODY RECORD

951-254-13

INVOICE TO/SEND ORIGINAL REPORT TO: Compliance Designs 159 South Stark Highway Weare, New Hampshire 03281 Tel (603) 273-0954 Fax (603) 695-7318		CLIENT NAME TO APPEAR ON REPORT: Naya Waters Inc. 2500 Rue de la Naya Mirabel CN J7N 3A7		LAB USED: Eurofins -Pomona	ORDER # 38010858
PROJECT NAME: 2026 Annual		PROJECT #: 951		TURNAROUND TIME: STND/BUT ASAP	
PROJECT NAME: 2026 Annual		PROJECT #: 951		ANALYSIS REQUIRED	
SAMPLE NUMBER	DATE & TIME OF SAMPLE COLLECTION	SAMPLE DESCRIPTION AND PRODUCTION CODE	NUMBER OF CONTAINERS	ANALYSIS REQUIRED	
951-254	9:12 AM FEB 09, 2026	Naya Spring FP		50-BAT1-FP, TC/EC, HPC	
		Produced From: Naya Spring			
	33x500 ml	Size: 60x50 ml if multiple shipments Indicate shipment <u>1</u> of <u>2</u>			
LAB, PLEASE INDICATE DATE AND TIME BOTTLES OPENED (SAMPLE DATE & TIME)		Prod Code: Line: 2 BB/MA 2028 FE 09 PRD 2026 FE 09 09:12 ML2		Bottle Water Sampling date depends on container	
SAMPLER'S SIGNATURE: SIGN HERE 		PLEASE PRINT BELOW: DENIS BIGAND		COMPLIANCE CRITERIA:	
RELINQUISHED BY	DATE/TIME	ACCEPTED BY	DATE/TIME	NOTES TO LABORATORY	
Sign Here	Date & Time		4/17/26 1013	10.3 / 10.3 NO 105 JTA	
				Feox 8888 1090 7630	



380-199318 COC

CHAIN OF CUSTODY RECORD

951-254-13

INVOICE TO/SEND ORIGINAL REPORT TO: Compliance 159 South Stark Highway Weare, New Hampshire 03281 Designs Tel (603) 273-0954 Fax (603) 695-7318		CLIENT NAME TO APPEAR ON REPORT: Naya Waters Inc. 2500 Rue de la Naya Mirabel CN J7N 3A7		LAB USED: Eurofins -Pomona ORDER # 38010858
PROJECT NAME: 2026 Annual		PROJECT #: 951	TURNAROUND TIME: STND/BUT ASAP PWS #:	
DATE & TIME OF SAMPLE COLLECTION 9:12 AM FEB 01, 2026		ANALYSIS REQUIRED		
SAMPLE NUMBER 951-254	SAMPLE DESCRIPTION AND PRODUCTION CODE Naya Spring FP		50-BAT1-FP, TC/EC, HPC	
LAB, PLEASE INDICATE DATE AND TIME BOTTLES OPENED (SAMPLE DATE & TIME) 33 x 500 ml BB1MA 2028 FE 09 PRD 2026FE09 09:12 ML2		Produced From: Naya Spring Size: 60 x 500 ml multiple shipments indicate shipment 1 of 2		
SAMPLER'S SIGNATURE: SIGN HERE <i>[Signature]</i>		COMPLIANCE CRITERIA: Bottle Water Sampling date dependent containing		
RELINQUISHED BY Sign Here <i>[Signature]</i>		ACCEPTED BY <i>[Signature]</i>	DATE/TIME Date & Time 4/17/26 1013	NOTES TO LABORATORY 10.3 / 10.3 NO 105 JTA Feq 8888 1090 7630

Comler 22126
4.23



Chain of Custody Record

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642
Phone: 626-386-1100

[illegible]

Phone: 626-386-1100

--